Annexure-V

Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 2026-2027

Clinical Material in Hospital

Name of College/Institute - Shivai Institute of Nursing, Omerga

Faculty - Nursing

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum100 bedded own/parent Hospital (Affiliatedhospitalmustbe50beddedor more.) **To be made available on web site**	**Available**	**Adequate (Parent hospital)**
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: **Copy to be made available on web site**	**Available**	**Adequate**
b.	Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual – 1: 10		**Adequate**
c.	Average Bed Occupancy in % : (Minimum 75%) **85%**		**Adequate**
d.	Clinical facilities for PG to be verified:-(As per MSR)	NA	
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD (current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)	**Yes**	**Adequate**

- **As per Central Council Norms/ University Norms, above Infrastructure must be available at College.**
- **If Infrastructure is available, then mark "Adequate" & do not attach any Documents it should be available on college website**
- **In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report**

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief

Any Other, Please Specify: -

Date: -

SHIVAI INSTITUTE OF NURSING (SION) KOREGAONWADI College Code 09370 OMERGA

Dean/ Principal Stamp & Signature

PRINCIPAL
Shivai Institute of Nursing (SION)
Koregaonwadi,Omerga



महाराष्ट्र MAHARASHTRA ◑ 2025 ◑ 50AB 286419

15 DEC 2025

उप कोषागार कार्यालय, उमरगा
जि. धाराशिव
27 NOV 2025
उप कोषागार अधिकारी, उमरगा

NOTARY
Reg.No 9028
Pradip N.Panure
Dharashiv District
GOVT.OF INDIA

Memorandum Of Understanding

SHIVAI CHARITABLE TRUST'S

SHIVAI INSTITUTE OF B.Sc NURSING, KOREGAONWADI. TQ. OMERGA

DIST. DHARASHIV.

&

Shivai Critical Care Hospital, Omerga, DIST. DHARASHIV (413606)

This is the memorandum of understanding between **Shivai Charitable Trust's, Omerga of Shivai Institute of B.Sc Nursing, Koregaonwadi, Tq. Omerga Dist. Dharashiv 413606. 100 Bedded.**

PRADIP N. PANURE
ADVOCATE & NOTARY
DIST.OSMANABAD

Scanned with OKEN Scanner

NOTARY
Reg.No 9028
Pradip N.Panure
Dharashiv District
GOVT.OF INDIA

15 DEC 2025

On 01st Day of March Month 2026. As hospital is Parent Hospital for the Shivai Institute of Nursing, (B.Sc) Omerga for the training and practical purpose of the Student's of **B.Sc Nursing.**

This **MOU is valid for 05 years after signing on 01st Day of March Month 2026** and valid till cancellation by mutual understanding of both parties till them it is valid and it will auto continue for further 05- years period.

Secretary/ Chairman
Dr. VIJAY B. BEDADURGE
SHIVAI CHARITABLE TRUST,
OMERGA. DIST. DHARASHIV
413606

SIGNED BEFORE ME
NOTARY
GOVT.OF INDIA
Adv.PRADIP N.PANURE
DHARASHIV DIST

IDENTIFIED BY

Scanned with OKEN Scanner

Annexure-V

Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 2026-2027

Clinical Material in Hospital

Name of College/Institute - Shivai Institute of Nursing, Omerga

Faculty - Nursing

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum100 bedded own/parent Hospital (Affiliatedhospitalmustbe50beddedor more.) **To be made available on web site**	**Available**	**Adequate (Parent hospital)**
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: **Copy to be made available on web site**	**Available**	**Adequate**
b.	Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual – 1: 10		**Adequate**
c.	Average Bed Occupancy in % : (Minimum 75%) 85%		**Adequate**
d.	Clinical facilities for PG to be verified:-(As per MSR)	NA	
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD (current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)	**Yes**	**Adequate**

- **As per Central Council Norms/ University Norms, above Infrastructure must be available at College.**
- **If Infrastructure is available, then mark "Adequate" & do not attach any Documents it should be available on college website**
- **In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report**

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief

Any Other, Please Specify: -

_____

_____

_____

Date: -

SHIVAI INSTITUTE OF NURSING (SION) KOREGAONWADI College Code 09370 OMERGA

Dean/ Principal Stamp & Signature

PRINCIPAL
Shivai Institute of Nursing (SION)
Koregaonwadi,Omerga

Scanned with OKEN Scanner

महाराष्ट्र शासन

सार्वजनिक आरोग्य विभाग

जिल्हा शल्य चिकित्सक, जिल्हा रुग्णालय, धाराशिव

Annexure –III

FORM C

Certificate of Registration under Section 5 of the Bombay Nursing Home Registration Act. Amendment 2006

(Under Rule 5)

No:- 15

This is to certify that Dr.BEDADURGEVIJAKUMAR BARGALI has been registered under the Bombay Nursing Homes Registration Act Amendment 2006 in respect Shivai Hospital & Critical Care Center situated at Infront Of Ganesh Chitramandir,Main Road, Omerga Tal :- Omerga Dist:- Dharashiv and has been authorized to carry on the said Nursing Home.

Registration No.:- 15

Date of issue of Certificate: 23/5/2023

ICU/NICU-	*Cots:- 20*
Maternity	*Cots:- 30*
Other	*Cots:-50*
Total	*Cots:- 100*

This Certificate shall be valid up to 31march 2026

CIVIL SURGEON OSMANABAD

(Dr.R.V.Galande)
Civil Surgeon
General Hospital Dharashiv
Civil Surgeon
Civil Hospital,Osmanabad

Application for Registo

Scanned with OKEN Scanner

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: http://mpcb.gov.in
Email: pso@mpcb.gov.in

Kalpataru Point, 2nd, 3rd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

ORANGE/
No:- Format1.0/PSO/UAN No.0000262362/CO/2511000965

Date: 14/11/2025

To,
M/s. Shivai Hospital and Critical Care Centre
Sr. No. 337, Plot No. 84/20,
Opp. Ganesh Chitra Mandir, Main Road,
Omerga, Tal - Omerga, Dist - Dharashiv-413606.
Email:shivaaihospital@gmail.com
Contact No.:9422207614

LiFE Lifestyle for Environment
Your Service is Our Duty

Combined Renewal of Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref:
1. Combined Grant Combined Consent to 1st operate with amalgamation of Consent to Establish and BMW Authorization (CCA) for 100 Beds is granted by the Board vide no. Format1.0/PSO/UAN No.0000132197/CE/2209001435 Dtd. 21/09/2022 which is valid up to 26/09/2025
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 29/09/2025

After examining the proposal, The Maharashtra Pollution Control Board hereby grant Renewal of Consent to Operate and BMW Authorization (CCA) to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **26-09-2025** To **26-09-2031**
2. HCF Area : - Plot Area 1186.20 M^2 with Built-up area 1086.41 M^2.
3. **Activities Included**
   a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. 15 valid upto 31-03-2026)
4. **Conditions under the Water (P&CP) Act, 1974:-**
   1. Quantity of total water consumption shall not exceed 31 M^3/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
   2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
   3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

Scanned with OKEN Scanner

5. **Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

6. **Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	Biological Sludge	Biological Sludge	As per Actual	Kg/Annum	Municipal Landfill

7. **Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

8. **Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Akshay Industries Ltd., Latur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

9. You shall not undertake Modifications/ Upgrdation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

10. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

11. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.

Scanned with OKEN Scanner

12. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
13. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
14. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
15. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
16. As per your application, the laundry activity is outsourced. Therefore, you are strictly prohibited from conducting any laundry activity within the premises of your hospital.
17. You should ensure that the hospital operates with a valid registration certificate under the Bombay Nursing Home (BNH) Act and holds an active membership with a Common Biomedical Waste Treatment Facility (CBWTF).
18. This CCA consent is issued after receipt of 12% interest on the Bank Guarantee of Rs. 2.50 Lakh, Calculated as Rs. 92,137/- (Payment received).
19. The CCA consent is issued after receiving penal charges of Rs. 15,000/- for delay in submission of the CCA application for Renewal of Consent as per the Boards circular dtd. 28/04/2025.
20. You shall obtain & submit NOC from Central Ground Water authority (CGWA) for extraction of ground water within Three Months period from the issuance of CCA.
21. You shall submit the bank guarantee of Rs. 50,000/- towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Chhatrapati Sambhajinagar within 15 days. Non submission of B.G. in a specified time shall attract 12% penal interest on BG amount.
22. As per SRO remark, HCE has provided a storage area for Bio-Medical Waste (BMW) in compliance with CPCB guidelines. Hence, the Bank Guarantee of Rs. 1.0 Lakh imposed towards the provision of a separate BMW storage area is eligible for release.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.

7965080b
1adaa8df
92c3c974
bbe7b467
ec54df72
4445f10c
8aa3f251
2c68dab4

Signed by: Dr. Vishwajeet Ramesh Thakur
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
pso@mpcb.gov.in
2025-11-14 14:56:22 IST

Scanned with OKEN Scanner

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	75000.00	TXN2509005800	29/09/2025	Online Payment
2	15000.00	TXN2510003837	25/10/2025	Online Payment
3	92137.00	TXN2510003838	25/10/2025	Online Payment

HCE has paid CCA fees of Rs. 75,000/- from which Rs. 45,000/- is adjusted for 3 terms. The remaining balance fees of Rs. 30,000/- will be adjusted at the time of next CCA Renewal.

Copy to:

1. Regional Officer, MPCB, Chhatrapati Sambhajinagar and Sub-Regional Officer, MPCB, Latur

- Regional Officer, MPCB Chhatrapati Sambhajinagar is directed to ensure submission of Bank Guarantee by hospital as specified in Schedule III of CCA and monitor the compliance of the consent conditions.

  SRO - Latur is directed to ensure the compliance of the CCA conditions.

2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Scanned with OKEN Scanner

Annexure - I

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	30.00
3.	Pathology Laboratory, Floor washing, Operation Theater	1.00
4.	Laundry	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	24.0	As per clause 'C'	50% recycle for flushing in toilet and 50% in Sewer Line
2	Trade effluent	1.0	As per clause 'C'	100% for gardening

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the permises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

Scanned with OKEN Scanner

Annexure - II

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG Set (25 KVA)	Diesel	5.00 Ltr/Hr	3.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
   a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
   b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
   c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
   d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
   e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
   f. D.G. Set shall be operated only in case of power failure.
   g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
   h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Scanned with OKEN Scanner

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	120.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Akshay Industries Ltd., Latur Latur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	160.00		
		d) Expired or Discarded Medicines	85.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	100.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	120.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize onsite World Health Organization guidelines thereafter sent to BMW CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	350.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Akshay Industries Ltd., Latur Latur
3	White (Translucent)	Waste sharps including Metals	170.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Akshay Industries Ltd., Latur Latur
4	Blue	a) Glassware	74.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Akshay Industries Ltd., Latur Latur
		b) Metallic body implants	10.00		

Scanned with OKEN Scanner

SCHEDULE-II

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Akshay Industries Ltd., Latur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Chhatrapati Sambhajinagar and uploading the same to MPCB Portal (https://www.ecmpcb.in/).

Scanned with OKEN Scanner

SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	**Operation and Maintenance**		
1	To comply the conditions mention in Combined Consent to Operate / Renewal and BMW Authorization (CCA)	Continuous	50,000.00
	Total		50,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122

Scanned with OKEN Scanner

SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Chhatrapati Sambhajinagar.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

Scanned with OKEN Scanner

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhave to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.

Scanned with OKEN Scanner

भारतीय गैर न्यायिक

एक सौ रुपये Rs. 100

रु. 100 ONE HUNDRED RUPEES

सत्यमेव जयते

भारत INDIA

INDIA NON JUDICIAL

महाराष्ट्र MAHARASHTRA ◑ 2025 ◑ 50AB 286420

उप कोषागार कार्यालय, उमरगा
जि. धाराशिव
27 NOV 2025
कोषागार अधिकारी, उमरगा

Memorandum Of Understanding

SHIVAI CHARITABLE TRUST'S

SHIVAI INSTITUTE OF B.Sc. NURSING, KOREGAONWADI. TQ. OMERGA

DIST. DHARASHIV.

&

OM MULTISPECIALTY HOSPITAL, OMERGA. DIST. DHARASHIV (413606)

This is the memorandum of understanding between **Shivai Charitable Trust's, Omerga** of Shivai Institute of B.Sc Nursing, Koregaonwadi, Tq. Omerga Dist. Dharashiv 413606 and OM MULTISPECIALTY HOSPITAL, OMERGA. DIST. DHARASHIV (413606). 60 BEDDED HOSPITAL.

Scanned with OKEN Scanner

On **15th day of December month 2025**. As hospital is affiliated for the Shivai Institute of Nursing, Omerga. Dharashiv for the training and practical purpose of the Student's of **B.Sc Nursing.**

This **MOU is valid for 01 Year after signing on 15th day of December month 2025** and valid till cancellation by mutual understanding of both parties till them it is valid and it will auto continue for further 01- year period.

Director
Dr. SACHIN VISHWEKAR
OMKAR MULTISPECIALITY HOSPITAL
OMERGA. DIST. DHARASHIV. 413606

Secretary
Shivai Charitable Trust
Omerga Dist. Osmanabad

Secretary/Chairman
Dr. VIJAY B. BEDADURGE
SHIVAI CHARITABLE TRUST,
OMERGA. DIST. DHARASHIV
413606

SHIVAI CHARITABLE TRUST
OMERGA
Reg. No.
E - 525
Dist. Osmanabad

Scanned with OKEN Scanner

महाराष्ट्र शासन

सार्वजनिक आरोग्य विभाग

जिल्हा शल्य चिकित्सक, जिल्हा रुग्णालय, उस्मनाबाद

Annexure –III

FORM C

Certificate of Registration under Section 5 of the Bombay Nursing Home Registration Act. Amendment 2006

(Under Rule 5)

No:- 242

This is to certify that **Dr.Sachin Tanajirao Vishvekar** *has been registered under the Bombay Nursing Homes Registration Act Amendment 2006 in respect* ***Om Multispecity Hospital , Omerga*** *situated at* ***New Arogra Nagar,Omerga Tal :- Omerga Dist:- Dharashiv*** *and has been authorized to carry on the said Nursing Home.*

Registration No.:- *242*

ICU	***Beds:- 14***
Maternity	***Beds:- 10***
other	***Beds:- 76***
Total	***Beds:- 100***

Date of issue of Certificate: 11/12/2023

This Certificate shall be valid up to 31 March 2026

CIVIL SURGEON OSMANABAD

11/12/23

Civil Surgeon
General Hospital, Dharashiv
Civil Surgeon
Civil Hospital, Osmanabad

Scanned with OKEN Scanner

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: http://mpcb.gov.in
Email: pso@mpcb.gov.in

Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

RED/S.S.I
No:- Format1.0/PSO/UAN No.0000116466/CO/2203000603

Date: 10/03/2022

To,
M/s. om multispeciality hospital
337/1,New Arogya Nagar Omerga
Dist : Osmanabad
Email:sachinortho@gmail.com
Contact No.:9881535980

Your Service is Our Duty

Grant consent to Establish under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: 1. Your application for Combine Consent and Bio-Medical Waste Authorization dated 24/06/2021
2. Report submitted by SRO Latur on dated 30/09/2021

After examining the proposal, The Maharashtra Pollution Control Board hereby grant consent to Establish to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, Under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedules(I-IV) and Annexures (I-II)** enclosed in this order.

1. This CCA shall be in force for a period up to commissioning of Unit OR from**25-12-2021** To **31-12-2026**
2. The capital investment of the HCF is **₹946.20** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 3096.78 M^2 with Built-up area 2140.62 M^2.
4. **Activities Included**
   a. Total Number of Beds : **60 Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**
   1. Quantity of total water consumption shall not exceed 15.00 M^3/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
   2. You shall provide adequate treatment & disposal facility for sewage & Effluent generated as specified in **Annexure-I**
   3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

Scanned with OKEN Scanner

6. **Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. **Conditions under Hazardous Waste (M & TM) Rules 2016:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated i.e. ETP sludge in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity (MT/Annum)	Disposal
1		NA	As per Actual	NA

8. **Conditions under Solid Waste Management rules 2016 (As Amended, 2018 and 2019):-**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. **Conditions under BMW Management rules, 2016 (As Amended, 2018 and 2019):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Akshay Industries Ltd., Latur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same..
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgrdation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

Scanned with OKEN Scanner

12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 0.75 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Aurangabad within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice
18. You shall submit the bank guarantee of INR 0.94 lakhs which will be forfeited as HCE have started work of construction without obtaining C to E from Board. The Bank Guarantee shall be submitted in favour of The Regional Officer, MPCB, Aurangabad within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

24ae7bad
e4eb0d46
70e29b43
66d278fc
d1f75eba
fc753ea4
e77b2223
a4f5d70e

Signed by: Dr. Amar R. Supate
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
pso@mpcb.gov.in
2022-03-10 18:48:11 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	75000.00	TXN2106002279	24/06/2021	Online Payment
2	105000.00	TXN2202000802	08/02/2022	Online Payment
3	15000.00	TXN2106002283	24/06/2021	Online Payment

Additional consent fees of Rs.60000/_ is balance with Board and shall be adjusted at the time of next application for consent to operate

Copy to:

1. Regional Officer, MPCB, Aurangabad and Sub-Regional Officer, MPCB, Latur
   - You are directed to ensure the compliance of the consent conditions and BG imposed.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Scanned with OKEN Scanner

Annexure - I

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	15.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	2.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	12	As per clause 'C'	100% Recycle
2	Trade effluent	0	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Scanned with OKEN Scanner

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG Set	Diesel	15.00 Kg/Day	3.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
   a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
   b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
   c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
   d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
   e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
   f. D.G. Set shall be operated only in case of power failure.
   g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
   h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Scanned with OKEN Scanner

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	25.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Akshay Industries Ltd., Latur Latur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	300.00		
		d) Expired or Discarded Medicines	15.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	85.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	60.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	250.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Akshay Industries Ltd., Latur Latur
3	White (Translucent)	Waste sharps including Metals	140.00	Puncture proof, Leak proof, tamper proof container.	
4	Blue	a) Glassware	25.00	Cardboard boxes with Blue coloured marking.	
		b) Metallic body implants	0.00		

Scanned with OKEN Scanner

SCHEDULE-II

Responsibilities of the HCE Owner and CTF Operator of the Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Akshay Industries Ltd., Latur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Aurangabad and uploading the same to MPCB Portal (https://www.ecmpcb.in/).
19. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 120 days of expiry.

Scanned with OKEN Scanner

SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	**Operation and Maintenance**		
1	To provide STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	**Performance**		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
	Total		75,000.00

Note: You shall extend the above submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Aurangabad.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.

Scanned with OKEN Scanner

9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhave to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.

This certificate is digitally & electronically signed.

Scanned with OKEN Scanner

भारतीय गैर न्यायिक

एक सौ रुपये

Rs. 100

रु. 100

ONE HUNDRED RUPEES

सत्यमेव जयते

भारत INDIA

INDIA NON JUDICIAL

महाराष्ट्र MAHARASHTRA

2024

15AB 297642

11 APR 2025

उमरगा अ.क्र. दिनांक

श्री

रु. ता.

हस्ते कारण

यांनी जनरल मुद्रांक (

मागितले वरून भरतीत (

मुद्रांक दिले.

गणेश सुरेशराव इंगळे

मुद्रांक विक्रेता त.का. उमरगा प्र.क्र. ३५०६००१

जि.धाराशिव

27 MAR 2025

MEMORANDUM OF UNDERSTANDING

SHIVAI CHARITABLE TRUST'S

SHIVAI INSTITUTE OF NURSING, KOREGAONWADI TQ.OMERGA

&

SAI MULTISPECIALITY HOSPITAL, OMERGA DIST. DHARASHIV

THIS IS THE MEMORANDUM OF UNDERSTANDING BETWEEN SHIVAI INSTITUTE OF NURSING KOREGAONWADI TQ.OMERGA AND SAI MULTISPECIALITY HOSPITAL TQ. OMERGA DIST. DHARASHIV.

Scanned with OKEN Scanner

11 APR 2025

HENCE FORTH SAI MULTISPECIALITY HOSPITAL OMERGA DIST. DHARASHIV 49 BEDDED HOSPITAL IS AFFILIATED WITH SHIVAI INSTITUTE OF NURSING KOREGAONWADI TQ. OMERGA FOR TRAINING AND PRACTICAL PURPOSE OF STUDENTS OF B.Sc NURSING FOR THE PERIOD OF 5 YEAR FROM 11/04/2025

SAI MULTISPECIALITY HOSPITAL OMERGA

DIRECTORS

Dr. ANANT MUGALE

Dr. AJIT SHINDE

Dr. SIDRAM KHYADE

Dr. SACHIN TAWSHIKAR

SAI MULTISPECIALITY HOSPITAL

OMERGA DIST. DHARASHIV

SECRETARY

SHIVAI CHARITABLE TRUST

DR. VIJAY BEDADURGE

OMERGA DIST. DHARASHIV

Scanned with OKEN Scanner

महाराष्ट्र शासन

सार्वजनिक आरोग्य विभाग

जिल्हा शल्य चिकित्सक, जिल्हा रुग्णालय, धाराशिव

Annexure -III

FORM C

Certificate of Registration under Section 5 of the Bombay Nursing Home Registration Act Amendment 2006

(Under Rule 5)

Reg. No:- 224

This is to certify that **Dr. Anant V. Mugale** *has been registered under the Bombay Nursing Home Registration Act Amendment 2006 in respect of* **Sai Multispeciality Hospital** *situated at Near kala Maruti Mandir, Main Road, Omerga Tal:-Omerga Dist:-* **Dharashiv** *and has been authorized to carry on the said Nursing Home.*

Registration No.:- 224

ICU Beds: -	*08*
NICU Beds: -	*12*
Maternity Beds: -	*10*
Other Beds: -	*19*
Total Beds: -	*49*

Date of issue of Certificate:-
This Certificate shall be valid up to: - 31 March 2028

CIVIL SURGEON

Civil Surgeon
General Hospital, Dharashiv

Civil Surgeon
District Dharashiv

Scanned with OKEN Scanner

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0240 - 2473462
Fax: 0240 - 2473461
Website: http://mpcb.gov.in
Email:
roaurangabad@mpcb.gov.in

Paryavaran Bhavan, A - 4/1,
MIDC Area , Chikalthana,
Near Seth Nandlal Dhoot
Hospital, Jalna Road ,
Aurangabad - 431 210

ORANGE/
No:- Format1.0/RO/UAN No.0000165914/CO/2304001957

Date: 27/04/2023

To,
M/s.SAI MULTISPECILITY HOSPITAL
NEAR KALA MARUTI MANDIR N.H. NO 65,
OMERGA,DIST-OSMANABAD-413606
Email:saimultispeciality1@gmail.com
Contact No.:9423341762

लोकसेवा हक्क कायदा
Right to Public Service Act
Your Service is Our Duty

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref:
1. Bio-Medical Waste Authorization granted by the Board vide no.RO-AURANGABAD/BMW--AUTH/2106000290dtd.14.06.2021
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 21/03/2023

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedules(I-IV) and Annexures (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **31-03-2023** To **31-03-2029**

Scanned with OKEN Scanner

SAI
Multispeciality Hospital

Dr. Anant Mugale
M.B.B.S. D.G.O.L.L.B.
Obstentrician, Gynaecologist, Infertility and Sonologist
Mo. 9422464664

Dr. Ajit Shinde
M.B.B.S. D.G.O.L.L.B.
Obstentrician, Gynaecologist, Infertility and Sonologist
Mo. 9423483333

Dr. Sachin Tavshikar
M.B.B.S. D.G.O.D.N.B.
Obstentrician, Gynaecologist, and Laproscopy
Mo. 8766784554

Dr. Sidram Khyade
M.B.B.S. D.G.O.
Obstentrician, Gynaecologist, and Laproscopy
Mo. 9423341762

Dr. Sanjay Yelapure
M.B.B.S. D.C.H. D.N.B
Pediatrician & Neonatologist
Mo. 9177870851

Rx

Date

Date: 11/04/2025

This is to certify that Sai Multispeciality Hospital, Main road Omerga has been affiliated to Shivai Charitable Trust's, Shivai Institute of Nursing, Koregaonwadi Tq. Omerga Dist. Dharashiv as a Affiliated Hospital for the training and practical purpose of B.Sc Nursing students for 5 year from 11/04/2025

SAI MULTISPECIALITY HOSPITAL OMERGA

DIRECTORS


Dr.ANANT MUGALE
Dr.AJIT SHINDE
Dr.SIDRAM KHYADE
Dr.SACHIN TAWSHIKAR
SAI MULTISPECIALITY HOSPITAL,
OMERGA DIST. DHARASHIV

Near Adarsh College, Main Road, Omerga - 413 606

Scanned with OKEN Scanner



महाराष्ट्र MAHARASHTRA ◑ 2025 ◑ 50AB 286421



Memorandum Of Understanding

SHIVAI CHARITABLE TRUST'S

SHIVAI INSTITUTE OF B.Sc NURSING, KOREGAONWADI. TQ. OMERGA

DIST. DHARASHIV.

&

S. P. A. R. S. H. RURAL HOSPITAL, SASTUR TQ. LOHARA DIST. DHARASHIV (413606)

This is the memorandum of understanding between **Shivai Charitable Trust's, Omerga of Shivai Institute of B.Sc Nursing, Koregaonwadi, Tq. Omerga Dist. Dharashiv 413606** and **S. P. A. R. S. H. RURAL HOSPITAL, SASTUR TQ. LOHARA. DIST. DHARASHIV (413606). 50 BEDDED HOSPITAL.**

On 15th day of December month 2025. As hospital is affiliated for the Shivai Institute of Nursing, Omerga. Dharashiv for the training and practical purpose of the Student's of **B.Sc Nursing.**

This **MOU is valid for 05 years after signing on 15th day of December month 2025** and valid till cancellation by mutual understanding of both parties till them it is valid and it will auto continue for further 05- years period.

Medical Superintendent
Sub District Hospital SPARSH
Director Sastur Tq. Lohara Dist Dharashiv
MEDICAL SUPERITENDENT
S. P. A. R. S. H. RURAL HOSPITAL,
SASTUR TQ. LOHARA
DIST. DHARASHIV. 413606

Secretary
Shivai Charitable Trust
Omerga Dist. Osmanabad
Secretary/Chairman
Dr. VIJAY B. BEDADURGE
SHIVAI CHARITABLE TRUST,
OMERGA. DIST. DHARASHIV
413606.

SHIVAI CHARITABLE TRUST
OMERGA
Reg. No.
E - 525
Dist. Osmanabad

स्पर्श ग्रामीण रुग्णालय सास्तुर, जि. उस्मानाबाद येथील ३० खाटांच्या रुग्णालयाचे ५० खाटांच्या उपजिल्हा रुग्णालयात श्रेणीवर्धन करणेबाबत.

महाराष्ट्र शासन
सार्वजनिक आरोग्य विभाग

शासन निर्णय क्रमांकः श्रेणीवर्धन-२०२२/ प्र.क्र.२५/ आरोग्य-४
१० वा मजला, गोकुळदास तेजपाल रूग्णालय इमारत,
लोकमान्य टिळक मार्ग,मंत्रालय, मुंबई - ४०० ००१
दिनांक : २६ एप्रिल, २०२२.

वाचा:-

सहसंचालक, आरोग्य सेवा, मुंबई यांचे पत्र क्रमांकः जा.क्र.आआसे/कक्ष ३/टे-७/ ग्रारु सास्तुरजि. उस्मानाबादश्रेणी ५० लातूर मं ३१/जा.क्र.४२५०-५१/२०, दि.१८/०६/२०२० चे पत्र.

प्रस्तावना:-

स्पर्श ग्रामीण रुग्णालय सास्तुर, जि. उस्मानाबाद येथील ३० खाटांचे ५० खाटांच्या उपजिल्हा रुग्णालयात श्रेणीवर्धन करणेबाबत प्रशासकीय मान्यता देण्याची बाब शासनाच्या विचाराधीन होती. यासंदर्भात पुढील प्रमाणे निर्णय घेण्यात येत आहे.

शासन निर्णय :-

स्पर्श ग्रामीण रुग्णालय सास्तुर, जि. उस्मानाबाद येथील ३० खाटांच्या रुग्णालयाचे ५० खाटांच्या उपजिल्हा रुग्णालयात श्रेणीवर्धन करणेबाबत मान्यता देण्यात येत आहे.

सदर शासन निर्णय महाराष्ट्र शासनाच्या www.maharashtra.gov.in या संकेतस्थळावर उपलब्ध करण्यात आला असून त्याचा संकेताक २०२२०३०७१३३७५९५०१७ असा आहे. हा आदेश डिजीटल स्वाक्षरीने साक्षांकित करुन काढण्यात येत आहे.

महाराष्ट्राचे राज्यपाल यांच्या आदेशानुसार व नावाने.

SACHIN SHAMKANT DESAI

Digitally signed by SACHIN SHAMKANT DESAI
DN: c=IN, o=GOVERNMENT OF MAHARASHTRA, ou=PUBLIC HEALTH DEPARTMENT, 2.5.4.20=52275339d48b6fd35ef523ecd953ba59cbb2b2b4d4413dff8b3f2fb17710505f, postalCode=400032, st=Maharashtra, serialNumber=6FF04EBFFAB4F962AD757B0E36E3A96A85DB4421F6C95687631 53DEA13949BB2, cn=SACHIN SHAMKANT DESAI
Date: 2022.04.26 17:42:10 +05'30'

(सचिन देसाई)
अवर सचिव, महाराष्ट्र शासन

प्रत,

१. महालेखापाल १ / २, महाराष्ट्र (लेखा व लेखापरीक्षा) / लेखा व अनुज्ञेयता, मुंबई/ नागपूर.
२. संचालक, आरोग्य सेवा, मुंबई.
३. सहसंचालक, आरोग्य सेवा, रूग्णालये (राज्यस्तर), मुंबई.

Scanned with OKEN Scanner

४. सहाय्यक संचालक (लेखा व लेखापरिक्षा),आरोग्य सेवा, पुणे.
५. सहसंचालक, आरोग्य सेवा (अर्थ व प्रशासन), पुणे.
६. उपसंचालक, आरोग्य सेवा, लातूर मंडळ, लातूर.
७. जिल्हा शल्य चिकित्सक, जिल्हा रूग्णालय, उस्मानाबाद
८. वैद्यकीय अधिक्षक,स्पर्श ग्रामीण रुग्णालय सास्तुर, जि. उस्मानाबाद
९. जिल्हा कोषागार अधिकारी, उस्मानाबाद
१०. निवडनस्ती(आरोग्य-४), सा.आ.वि.

Scanned with OKEN Scanner



महाराष्ट्र MAHARASHTRA ◑ 2025 ◑ 5QAB 298629

उप कोषागार कार्यालय, उमरगा
जि. धाराशिव
21 NOV 2025
उप कोषागार अधिकारी, उमरगा

०५/१२/२०२५
शिवाई इन्स्टिट्यूट ऑफ नर्सिंग
ओरेगावाडी ता. उमरगा.
लाउरी घेऊन जाणेसाठी पत्रास रुजोयी
१००/-
श्री.आप्पाराव या.धानोरकर
मु.वि.पवार
परवाना क्र. ३५०६०११

Memorandum Of Understanding

SHIVAI CHARITABLE TRUST'S

SHIVAI INSTITUTE OF B.Sc NURSING, KOREGAONWADI. TQ. OMERGA

DIST. DHARASHIV.

&

MIND INSTITUTE OF PSYCHIATRY & DEADDICTION AND REHABILITATION CENTRE, SOLAPUR.

This is the memorandum of understanding between Shivai **Charitable Trust's, Omerga** of Shivai Institute of B.Sc Nursing, Koregaonwadi, Tq. Omerga Dist. Dharashiv 413606 and Mind Institute of Psychiatry & Deaddiction and Rehabilitation Centre, Solapur, 34/35 Alle Nagar, Morarji Peth, Solapur. 20 Bedded Hospital.

NOTARY Reg.No. 9078 Pradip H. Panure Dharashiv District GOVT OF INDIA

PRADIP H. PANURE
ADVOCATE & NOTARY
DIST.OSMANABAD

कुटारपत्र

शिवाई इन्स्टिट्युट ऑफ नर्सिंग ओमेगावाडी

ओडेश सानेश्वर पंतगे

9101 - 5905 दि. 04/12/2025

मोकाशेवकर

On 15th day of December month 2025. As hospital is affiliated for the Shivai Institute of Nursing, Omerga. Dharashiv for the training and practical purpose of the student's of B.Sc. Nursing.

This MOU is valid for 5 years after signing on 15th day of December month 2025 and valid till cancellation by mutual understanding of both parties till them it is valid and it will auto continue for further 5- years period.

Director

Mind Institute of Neuro Psychiatry & Deaddiction & Rehabilitation Centre Solapur. Regd. No. LMS2020005409

Dr. GANGADHAR C. KORKE

Mind Institute of Psychiatry &

Deaddiction and Rehabilitation centre,

Solapur.

President Vice-President Secretary

SHIVAI CHARITABLE TRUST OMERGA, Dist. Dharashiv

Secretary/ Chairman

Dr. VIJAY B. BEDADURGE

Shivai Charitable Trust, Omerga

Dist. Dharashiv 413606

SHIVAI CHARITABLE TRUST OMERGA Reg. No. E - 525 Dist. Osmanabad

Reg.No. 9098 Pradip N.Panure Dharashiv District NOTARY GOVT.OF INDIA

SIGNED BEFORE ME

NOTARY GOVT.OF INDIA Adv.PRADIP N.PANURE DHARASHIV DIST

IDENTIFIED BY

Scanned with OKEN Scanner

सोलापूर महानगरपालिका, सोलापूर
आरोग्य विभाग (प्रपत्र-सी)
महाराष्ट्र शुश्रुषागृह नोंदणी अधिनियम
१९४९ चे कलम ५ अन्वये)

Solapur Municipal Corporation , Solapur
Health Department (Form C)
Under Section 5 of the Maharashtra
Nursing Home Registration Act 1949


नर्सिंग होम नोंदणी प्रमाणपत्र



प्रमाणपत्र देण्यात येते की ,

डॉ. श्री./श्रीमती	:	डॉ. गंगाधर चंद्रकांतप्पा कोरके
शैक्षणिक अर्हता	:	एम.बी.बी.एस. , डी. पी. एम. यांची, महाराष्ट्र शुश्रुषागृह नोंदणी अधिनियम १९४९ खाली आ. संस्था
संस्थेचे नाव	:	माईंड इन्स्टिट्युट ऑफ न्युरो सायकॅटरी डिएडिक्शन अँण्ड रिहॅबिटेशन सेंटर
संस्थेचा पत्ता	:	34/35 अल्ले नगर जवळ ओल्ड पूना नाका मुरारजी पेठ
		उपरोक्त नर्सिंग होम कायद्यांतर्गत नोंदणी करण्यात आलेली आहे . तसेच सादर रुग्णालय / दवाखाना चालविण्यासाठी त्यांना हे प्रमाणपात्र देणेत येत आहे.
नोंदणी क्रमांक	:	LMS2020005409
नोंदणी दिनांक	:	26 - 03 - 2023
प्रसुतीसाठी	:	0
इतर रुग्णांसाठी	:	20
ठिकाण	:	सोलापूर
वैध प्रमाणपत्र कालावधी	:	दि.01/04/2023 ते दि. 31/03/2026 पर्यंत

The certificate is issued,



Dr. Mr. / Mrs	:	Dr. Gangadhar Chandrakantappa Korke
Educational Qualification	:	M.B.B.S. , D.P.M. Register Organization Under Maharashtra Nursing Home Registration Act 1949
Organization Name	:	Mind Institute Of Neuro psychiatry & Deaddiction & Rehabilitation Centres
Organization Address	:	34/35 , Alle Nagar Near Old Puna Naka Murarji Peth
		Registered under the above Nursing Home Act. Certificates Provide to run the hospital / clinic prescribed.
Registration Number	:	LMS2020005409
Registration Date	:	26 - 03 - 2023
For Delivery	:	0
For other Patients	:	20
Place	:	Solapur
Valid Period	:	From 01/04/2023 To 31/03/2026

Digitally signed by DS SOLAPUR MUNICIPAL CORPORATION 1
Date: 2023.04.20 18:19:51 +05:30
Reason: Issued by MOH (Dr. Basvaraj Lohare)
Location: License Department,Solapur Municipal Corporation,Solapur

Scanned with OKEN Scanner

परवाना क्रमांक / License Number : LMS2020005409 दिनांक / Date : 26 - 03 - 2023

नर्सिंग होम
(मुंबई नर्सिंग होम ऍक्ट 1949)
शर्ती अटी व नियम

1) नोंदणी प्रमाणपत्र हॉस्पिटल, दवाखाना-याच्या दर्शनी भागात दिसेल अशा रितीने लावणे बंधनकारक आहे .

2) आपल्या आरोग्यसंस्थेत दाखल संसर्गजन्य रुग्णांची माहिती (Noticeable diseases) तातडीने छत्रपती शिवाजी महाराज सर्वोपचार रुग्णालय सोलापूर व आरोग्य विभाग, सोलापूर महानगरपालिकेत कळविणे गरजेचे आहे .

3) जन्म मृत्यू नोंदी संबंधित माहिती वेळेवर कळविणे आपल्यावर बंधनकारक आहे .

4) कुटुंब कल्याण (पु / स्त्री) शस्त्रक्रिया आपल्याकडे झाल्यास त्याची आकडेवारी सोलापूर महानगरपालिकेच्या कुटुंब कल्याण विभागास कळविणे आपल्यावर बंधनकारक आहे .

5) संस्थेत कार्यरत नर्सिंग स्टाफ मुंबई नर्सेस मिडवाईफ ऍण्ड व्हिजीटर्स ऍक्ट 1954 नुसार प्रशिक्षित असण्याच्या अटीवर नोंदणी देण्यात आली आहे .

6) बायोमेडिकल वेस्ट नियम 1998 क्र. 32 व 41/2006 चे पालन करणे बंधनकारक आहे .

7) आपल्या संस्थेत अग्निशमन प्रतिबंधक कायद्या अंतर्गत योग्यत्या उपायोजना करुन अग्निशामक साधने व प्रशिक्षित कर्मचारी नियुक्त करणे बंधनकारक आहे .

8) सदर आरोग्य संस्थेत मुंबई नर्सिंग होम रजिस्ट्रेशन ऍक्ट 1949 अंतर्गत व महाराष्ट्र शुश्रुषागृह नोंदणी नियम २०१९ अन्वये वेळोवेळी लागू केलेल्या शर्ती, अटी व नियम बंधनकारक राहतील, त्याचे उल्लंनघन झाल्याचे आढळून आल्यास हे नोंदणी प्रमाणपत्र रद्द करण्यात येऊन आपणांवर नमूद कायद्यांतर्गत पुढील कारवाई करण्यात येईल याची नोंद घ्यावी .

9) ऑनलाईन परवाना देणेची कार्यपध्दती अवलंबिल्यानंतर वेळोवेळी शर्ती नियम अटी या मध्ये केलेले बदल परवानाधारकावर बंधनकारक राहतील.

10) परवान्याचे नूतनीकरण मुदतीत न केल्यास मुदत समाप्तीनंतर सदरचा परवाना आपोआप रद्द होईल .व्यवसाय चालू असल्यास संबंधित व्यावसायिकाने परवाना मागणी करीता आवश्यक त्या कागदपत्रांसह फेर अर्ज सादर करणे बंधनकारक राहिल .

पावती क्र. / Receipt Number	पावती दिनांक / Receipt Date	फी र. रु. / Fee in Rs.	दंड र. रु. / Fine in Rs.
LIC-REN-202301150	26 - 03 - 2023	10500	0

Scanned with OKEN Scanner

महाराष्ट्र राज्य मानसिक आरोग्य प्राधिकरण

प्राधिकरण, आरोग्य भवन, ७वा मजला, पी.डिमेलो रोड, फोर्ट, मुंबई
E-mail : smhamaharashtra@gmail.com

सदस्य :

सहसचिव, सामा. न्याय विभाग मंत्रालय मुंबई

सहसचिव, सार्वजनिक आरोग्य, मंत्रालय मुंबई

संचालक वैद्यकीय शिक्षण व संशोधन मुंबई

मनोविकृती विभाग प्रमुख, जी.एम.सी. मुंबई

वैद्यकीय अधीक्षक प्रा.म.रु. ठाणे

डॉ. शाश्वत शेरे

श्री. रॉनी जॉर्ज

श्रीमती तस्त्रीम राजा

डॉ: रिचा शेटे

श्रीमती नीलम बनसोडे

श्रीमती जॉय कॅल्वीन मॉन्टेरिओ

श्रीमती परविन शेख

श्री. असीम सुहास सरोदे

श्री. मिलिंद म्हैसकर, (भा.प्र.से.)
अध्यक्ष,
राज्य मानसिक आरोग्य प्राधिकरण

डॉ. स्वप्निल लाळे
मुख्य कार्यकारी अधिकारी,
राज्य मानसिक आरोग्य प्राधिकरण

जावक क्र. 3373-74
दिनांक - 1/12/2023

प्रति,
डॉ. गंगाधर चंद्रकांतप्पा कोरके
माइंड इंस्टीट्युट ऑफ न्युरोसायक्याट्री , डिॲडिक्शन ॲण्ड रिहॅबिलिटेशन सेंटर, प्लॉट नं. ३४/३५, अल्ले नगर, मुरारजी पेठ, जि.सोलापूर

विषय - मानसिक आरोग्य कायदा-२०१७ अन्वये नोंदणी देण्याबाबत.

उपरोक्त विषयाच्या अनुषंगाने आपणास कळविण्यात येते की, मानसिक आरोग्य कायदा-२०१७ मधील विहीत केलेल्या अटी व शर्तीच्या अधिन राहून आपले माइंड इंस्टीट्युट ऑफ न्युरोसायक्याट्री , , डिॲडिक्शन ॲण्ड रिहॅबिलिटेशन सेंटर , प्लॉट नं. ३४/३५, अल्ले नगर, मुरारजी पेठ, जि.सोलापूर चा परवाना मंजूर करण्यात आला आहे.

यास्तव, आपणास असेही कळविण्यात येते की, मानसिक आरोग्य कायदा-२०१७ मध्ये विहीत केलेल्या अटी व शर्तीचे तंतोतंत पालन करण्यात यावे.

डॉ.स्वप्निल लाळे
मुख्य कार्यकारी अधिकारी
राज्य मानसिक आरोग्य प्राधिकरण मुंबई

प्रत -जिल्हा मानसिक आरोग्य कार्यक्रम सोलापूर यांना माहितीस्तव

Scanned with OKEN Scanner

MAHARASHTRA STATE MENTAL HEALTH AUTHORITY

(MSMHA)

Form-F

[*See* rule 66]

CERTIFICATE OF PERMANENT REGISTRATION OF MENTAL HEALTH ESTABLISHMENT

The Maharashtra State Mental Health Authority, after considering the application under section 65 (2) or section 66 (3) or section 66(10) or section 66 (17) of the Mental Healthcare Act, 2017, hereby accords Permanent Registration to the applicant mental health establishment in terms of section 66 (4) or section 66 (11), or section (17) as per the details given hereunder:

Name:- **Dr. Gangadhar Chandrakantappa Korke**

Address: - **Mind Institute of Neuropsychiatry, Deaddiction and Rehabilitation Centre, Plot No. 34/35, Alle Nagar, Murarji peth, Dist. Solapur**

No of beds: - **20**

Permanent Registration Certificate No. **73/2023**

The Permanent registration certificate No.**73/2023** ssued, is subject to the conditions laid down in the Mental Healthcare Act, 2017 and the rules and regulations made there under.

Place: Mumbai

Date: 01/12/2023

Dr. Swapnil Lale
Chief Executive Officer
State Mental Health
Authority, Mumbai

Seal of the Registration Authority

Registration Authority.
(MSMHA)

Scanned with OKEN Scanner

BIOCLEAN SYSTEMS (INDIA) PVT. LTD.

Survey No. 44, Municipal Solid Waste dumping ground, Old Barshi Road,
Bhogaon North Solapur, Solapur- 413000

Emergency Mobile : 8605295000 Email : bsplslp@ningroup.co.in

BIOCLEAN SYSTEMS (INDIA) PRIVATE LIMITED

Unique Registration No.: BSPL/0239/0167

Offline QR

Registration Certificate

Online QR

Outward No. : BSPL/2023-24/0148 *Date* : 20-Jul-2023

This is to certify that, Mind Institute Of Neuro Psychiatry & Deaddiction & Rehabilitation Centres, Bhimashankar Thobade Nagar, Opposite Arvinddham Police Quarter, Juna Puna Naka, Solapur. is registered with M/s Bioclean System (India) Pvt. Ltd., for management of Bio Medical waste in accordance with, the provision of Bio Medical Waste Management rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1	Authorized Person of HCE (Name and Designation)	: **Dr. Gangdhar C. Korke** : **Doctor**
2	Bombay Nursing Home Act Registration Details	
	a. BNH Registration No	: **LMS2020005409**
	b. BNH Issue Date	: **01-Apr-2023**
	c. Total Number of Beds	**20**
	d. BNH validity (Form 'C')	: **31-Mar-2026**
3	Common Treatment Facility Registration Details	
	a. Date of Registration	: **19-Jan-2013**
	b. No. of Beds Registered	: 20
	c. Issue Date	: **01-Apr-2023**
	d. Registration Validity	: **31-Mar-2024**
4	Renewal of CTF Membership (if applicable)	
	a. Renewal Date	: **31-Mar-2024**
	b. No. of Beds	: **20**
5	MPCB Consents (Establish/ 1st Operator/Renewal Details)	
	a. Consent / CCA Number	: **2006001245**
	b. Issue Date	: **03-Jul-2020**
	c. Validity upto	: **31-Jul-2023**

Authorized Signature

Name : Mrs. Nutan A. Jadhav
Designation : Authorized Officer

Note: HCF shall display copy of Registration Certifcate at front Desk and Temporary BMW storage area.

Scanned with OKEN Scanner